

## Lexmark C2132 Colour Laser Printer



### Robust. Reliable Performance.



Color



Duplex  
Printing



Solutions



Up to  
30 ppm



Security



10.9-cm  
(4.3-inch)  
Touch  
Screen



Network

**LEXMARK**<sup>TM</sup>



## Lexmark C2132



### Why Lexmark.

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high quality products, solutions, and services help improve productivity, increase efficiency and empower employees to perform at their best.



### Eco-responsible.

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high quality output with reliable performance. And at the same time, help you minimise the number of cartridges you use over the life of a printer and conserve paper and energy.

The Lexmark Cartridge Collection Programme provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Programme availability and details vary by country.



### Environmental protection is a shared responsibility.

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

### Our memberships include

- AeA Europe
- Ecma International
- Electronics Industry Citizenship Coalition (EICC)
- DIGITALEUROPE
- European Information & Communications Technology Industry Association (EICTA)
- Information Technology Industry Council (ITI) Environmental Leadership Council



## Lexmark C2132 Overview



**Superior Performance.** The Lexmark C2132 Printer can satisfy the needs of the busiest work environments. A choice of configuration options and productivity solutions gives your business exactly what it needs to get more done. More value, greater versatility.

- Process even the most complex jobs utilising the 800MHz dual-core processing power and up to 2.5GB of memory, with print speeds up to 30 ppm with time to first page in less than 10 seconds in colour
- Produce professional colour in-house, on demand output with a system that delivers consistent image quality on a diverse range of materials
- With an input capacity of up to 1,450 sheets and extra high yield toner cartridges, you won't have to add paper or change cartridges as often



**Accurate Colour.** The Lexmark C2132 delivers rich, consistent colour printing that can enhance your company's materials and brand. It's faster and more reliable than ever.

- Professional colour matching - Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurate colour matching
- High resolution graphics - with up to true 1200x1200 dpi resolution, images and graphics stay crisp. Lexmark's Unison™ Toner ensures consistent quality, too
- With this system, you can print from desktops as well as mobile devices that can run applications



**Easy and intuitive.** The Lexmark C2132 is designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- Easy to navigate 10.9-cm (4.3-inch) touch screen provides audible feedback to make completing tasks intuitive, and with print preview features you can select documents or specific pages within a document
- Extend your environmental responsibility with energy-efficient settings such as the Sleep Button and Hibernate Mode, and instant warm-up fuser helps reduce energy consumption and improve time to first page
- Take advantage of smart functions like custom messaging and programmable supply alerts



## Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark C2132 Series platform lets you interact with business applications directly on the device or with a server, on premise or hosted in "the cloud". Reduce unnecessary printing and simplify work processes with Lexmark solutions.



## Lexmark C2132 Solutions

**Navigate to efficiency.** The Lexmark colour touch screen is a key access point to your device. The customisable, 10.9 cm (4.3-inch) interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.



The following are examples of pre-loaded solutions on C2132.



### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



### Eco-Settings

Lets you change up to six different device settings to enhance environmental savings: Eco-Mode, two-sided printing, time to standby mode, time to Power Saver mode, screen brightness, and Quiet Mode.



### Customer Support

This application provides you with an easy way to send information about your device to your authorised dealer or internal help desk.



### Manage Address Book

Manage Address Book allows the Administrator to import and export e-mail shortcuts and fax shortcuts from a CSV file.

Additional Lexmark solutions are available through your authorised Lexmark Business Solutions Dealers.



## Lexmark C2132 Vertical Solutions



### Professional quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment – where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data, and deliver information to the right place, at the right time, and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions\*.

\* Optional software available. Licensing fees may apply.



### Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec), and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping (when a hard disk is installed) and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorisation features, address book lookup via LDAP over SSL and device lockout for protection of user information.

**Lexmark has shown its strength and leadership with respect to security.**

- Forming and chairing the group that created the IEEE 2600 standards for security on hard copy devices.
- Becoming the first hard copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation.

# Lexmark C2132 Key Features



C2132 with 10.9 cm colour touch screen

## Features that help you optimise your work



### 1) Intuitive colour touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



### 2) Flexible media handling

Print on a wide range of media with built-in 2-sided printing. Add additional input capacity up to 1450 pages for higher volume output needs.



### 3) Professional Colour Matching

Lexmark Named Colour Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurately matching your colours.



### 4) Direct USB

The front USB port allows for convenient walk-up preview, printing and is compatible with most printable image file formats.



### 5) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



### 6) Innovative Unison™ Toner


Get advance toner science, powerful enough to deliver consistently outstanding image quality with a shake free print system.



### 7) Eco-friendly features

Easy-to-access features like Eco-Mode to reduce paper and toner consumption, the Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.

# Lexmark C2132 Ordering Information



■ Standard  
■ Optional

## C2132

Part #	Model	57X9012	2048MBx32 DDR3-DRAM
28E0207	Lexmark C2132	57X9101	256MB Flash Memory Card
		27X0200	160+ GB Hard Disk
Part #	Laser Toner/Print Cartridge	Part #	Application Solutions
24B6011	Black Toner Cartridge	38C0512	CS510 Forms and Bar Code Card
24B6008	Cyan Toner Cartridge	38C0517	CS510 Card for PRESCRIBE Emulation
24B6009	Magenta Toner Cartridge		
24B6010	Yellow Toner Cartridge	Part #	Connectivity
70C0210	70021 Black Imaging Kit (40k)	1021294	USB (2 Meter) Cable
70C0250	70025 Black and Colour Imaging Kit (40k)	27X0130	MarkNet N8352 802.11b/g/n Wireless Print Server Kit
70C0P00	700P Photoconductor Unit (40k)		
70C0D10	700D1 Black Developer Unit (40k)	Part #	Service Parts
70C0D20	700D2 Cyan Developer Unit (40k)	40X7616	Fuser Maintenance Kit, 220-240V
70C0D30	700D3 Magenta Developer Unit (40k)	40X7610	Image Transfer Unit
70C0D40	700D4 Yellow Developer Unit (40k)	40X7623	Fuser, 220-240V
C540X75G	Waste Toner Bottle (18k)		
Part #	Paper Handling		
38C0626	550-Sheet Duo Tray with 100-Sheet Feeder		
38C0636	550-Sheet Tray		
Part #	Furniture		
35S8502	Adjustable Stand		
3073173	Swivel Cabinet		
Part #	Memory Options		
57X9016	1024MBx32 DDR3-DRAM		



# Lexmark C2132 Product Specifications



## Product specifications

## Lexmark C2132

Printing	
Display	Lexmark e-Task 10.9 cm (4.3-inch) colour touch screen
Print Speed: Up to <sup>4</sup>	Black: 30 ppm / Colour: 30 ppm
Time to First Page: As fast as	Black: 9 seconds / Colour: 10 seconds
Print Resolution	Black: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) / Colour: 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi)
Memory / Processor	Standard: 512 MB / Maximum: 2560 MB / Processor: Dual Core, 800 MHz
Hard Disk	Option available
Recommended Monthly Page Volume <sup>2</sup>	1500 - 7000 pages
Maximum Monthly Duty Cycle: Up to <sup>3</sup>	85000 pages per month
Supplies	
Laser Cartridge Yields <sup>1</sup>	3,000-page Colour (CMY) Extra High Yield Cartridges, 6,000-page Black Extra High Yield Cartridge
Cartridge(s) Shipping with Product <sup>5</sup>	6,000-page Black Starter Return Program Toner Cartridge, 4,000-page Colour (CMY) Extra High Yield Return Program Toner Cartridges
Paper Handling	
Included Paper Handling	Single-Sheet Manual Feed, Integrated Duplex, 250-Sheet Input, 125-Sheet Output Bin
Optional Paper Handling	550-Sheet Tray, 550-Sheet Duo Tray with 100-Sheet Feeder
Paper Input Capacity: Up to	Standard: 250+1 pages 75 gsm bond / Maximum: 1450+1 pages 75 gsm bond
Paper Output Capacity: Up to	Standard: 125 pages 75 gsm bond / Maximum: 125 pages 75 gsm bond
Media Types Supported	Refer to the Card Stock & Label Guide, Transparencies, Card Stock, Paper Labels, Plain Paper
Media Sizes Supported	Oficio, Universal, Letter, Legal, A4, Folio, Executive, A5, JIS-B5
General	
Connectivity (standard)	Rear USB 2.0 Specification Hi-Speed Certified port (Type A), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B)
Optional Network Ports / Optional Local Ports	MarkNet N8352 802.11b/g/n Wireless
Noise Level, Operating	Print: 50 dBA
ENERGY STAR	Yes
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet)
Size (mm. - H x W x D) / Weight (kg)	306 x 442 x 407 mm / 20.9 kg

<sup>1</sup> Yield at approximately 5% print coverage per colour. <sup>2</sup> "Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup> "Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>4</sup> Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>5</sup> Average continuous black or continuous composite CMY declared cartridge yield in one-sided (simplex) mode up to this number of standard pages in accordance with ISO/IEC 19798.



Unison is a trademark of Lexmark International, Inc. AirPrint and the AirPrint logo are trademarks of Apple Inc. PANTONE® is a registered trademark of Pantone, Inc. Information in this document is subject to change without notice. ENERGY STAR® is a U.S. registered mark. All other trademarks are the property of their respective owners. Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

**LEXMARK**<sup>TM</sup>